ELSEVIER

Statistics & Probability Letters 65 (2003) 467–468

STATISTICS & PROBABILITY LETTERS

www.elsevier.com/locate/stapro

Author Index for Volume 65 (2003)

Aki, S., *see* Hirano, K.	(3)	259–262
Alonso, A.M., D. Peña and J. Romo, On sieve bootstrap prediction intervals	(1)	13– 20
Alsmeyer, G. and U. Rösler, The best constant in the Topchii–Vatutin inequality for martingales	(3)	199–206
Baíllo, A., Total error in a plug-in estimator of level sets	(4)	411–417
Bardina, X., M. Jolis and C.A. Tudor, Weak convergence to the fractional Brownian sheet and other two-parameter Gaussian processes	(4)	317–329
Beghin, L., Y. Nikitin and E. Orsingher, How the sojourn time distributions of Brownian motion are affected by different forms of conditioning	(4)	291–302
Bhattacharyya, B.B., J.-J. Ren, G.D. Richardson and J. Zhang, Spatial autoregression model: strong consistency	(2)	71– 77
Bondon, P., *see* Palma, W.	(2)	93–101
Cai, Z. and E. Ould-Saïd, Local M-estimator for nonparametric time series	(4)	433–449
Chang, Y.M., *see* C. Fu, J.	(4)	457–466
Chen, S.X. and J. Qin, Empirical likelihood-based confidence intervals for data with possible zero observations	(1)	29– 37
Choy, S.T.B. and S.G. Walker, The extended exponential power distribution and Bayesian robustness	(3)	227–232
Collet, P., F.J. López and S. Martínez, Order relations of measures when avoiding decreasing sets	(3)	165–175
Cressie, N., *see* Frey, J.	(4)	389–399
Danielak, K. and T. Rychlik, Sharp bounds for expectations of spacings from DDA and DFRA families	(4)	303–316
El-Nouty, C., The fractional mixed fractional Brownian motion	(2)	111–120
Finkelstein, M.S., On one class of bivariate distributions	(1)	1– 6
Frey, J. and N. Cressie, Some results on constrained Bayes estimators	(4)	389–399
Fu, J.C., G. Shmueli and Y.M. Chang, A unified Markov chain approach for computing the run length distribution in control charts with simple or compound rules	(4)	457–466
Gao, Y., Data depth based on spatial rank	(3)	217–225
Ghosh, Y.N., On the probability of extinction of a Galton–Watson process	(3)	195–198
Gomes, M.I. and O. Oliveira, Censoring estimators of a positive tail index	(3)	147–159
Graßhoff, U. and R. Schwabe, On the analysis of paired observations	(1)	7– 12
Groß, J., Restricted ridge estimation	(1)	57– 64
Gupta, S.S., *see* Li, J.	(3)	177–185
Haiman, G., Extreme values of the tent map process	(4)	451–456
Han, C., A note on optimal designs for a two-part model	(4)	343–351
Han, Q. and K. Hirano, Waiting time problem for an almost perfect match	(1)	39– 49
Hirano, K. and S. Aki, Number of occurrences of subpattern until the first appearance of a pattern and geometric distribution	(3)	259–262
Hirano, K., *see* Han, Q.	(1)	39– 49
Horváth, L. and R. Zitikis, Asymptotics of the L_p-norms of density estimators in the first-order autoregressive models	(4)	331–342
Huang , J.Z., Asymptotics for polynomial spline regression under weak conditions	(3)	207–216
Iglesias-Pérez, M.C., Strong representation of a conditional quantile function estimator with truncated and censored data	(2)	79– 91
James Harner, E., *see* Misra, N.	(4)	279–290
James, L.F., A simple proof of the almost sure discreteness of a class of random measures	(4)	363–368
Jolis, M., *see* Bardina, X.	(4)	317–329
Kabaila, P. and C.J. Lloyd, The efficiency of Buehler confidence limits	(1)	21– 28
Kim, J.-H., Assessing practical significance of the proportional odds assumption	(3)	233–239
Kotz, S., *see* Nadarajah, S.	(3)	269–277
Kou, S.C., Is C_p an empirical Bayes method for smoothing parameter choice?	(2)	139–146
Li, J. and S.S. Gupta, Optimal rate of empirical Bayes tests for lower truncation parameters	(3)	177–185
Lin, D.K.J., *see* McGrath, R.N.	(4)	369–377
Lloyd, C.J., *see* Kabaila, P.	(1)	21– 28
López, F.J., *see* Collet, P.	(3)	165–175

Elsevier Science B.V.
PII: S0167-7152(03)00350-X

Martínez, S., *see* Collet, P.	(3)	165–175
Mathew, G., Limit points of independent copies of sample maxima	(2)	103–109
McGrath, R.N. and D.K.J. Lin, Analyzing location and dispersion in unreplicated fractional factorials	(4)	369–377
Misra, N., H. Singh and E. James Harner, Stochastic comparisons of Poisson and binomial random variables with their mixtures	(4)	279–290
Mitov, K.V., A.G. Pakes and G.P. Yanev, Extremes of geometric variables with applications to branching processes	(4)	379–388
Nadarajah, S. and S. Kotz, Skewed distributions generated by the normal kernel	(3)	269–277
Nelsen, R.B., J.J. Quesada-Molina, J.A. Rodríguez-Lallena and M. Úbeda-Flores, Kendall distribution functions	(3)	263–268
Nikitin, Y., *see* Beghin, L.	(4)	291–302
Nishikawa, M. and T. Tango, Counter-intuitive properties of the Kaplan–Meier estimator	(4)	353–361
Oliveira, O., *see* Gomes, M.I.	(3)	147–159
Orsingher, E., *see* Beghin, L.	(4)	291–302
Ould-Saïd, E., *see* Cai, Z.	(4)	433–449
Pakes, A.G., *see* Mitov, K.V.	(4)	379–388
Palma, W. and P. Bondon, On the eigenstructure of generalized fractional processes	(2)	93–101
Peiris, S., *see* Thavaneswaran, A.	(1)	51– 56
Peña, D., *see* Alonso, A.M.	(1)	13– 20
Peng, L. and Y. Qi, Chover-type laws of the iterated logarithm for weighted sums	(4)	401–410
Porosiński , Z., On optimal choosing of one of the k best objects	(4)	419–432
Qi, Y., *see* Peng, L.	(4)	401–410
Qin, J., *see* Chen, S.X.	(1)	29– 37
Quesada-Molina, J.J., *see* Nelsen, R.B.	(3)	263–268
Ren, J.-J., *see* Bhattacharyya, B.B.	(2)	71– 77
Richardson, G.D., *see* Bhattacharyya, B.B.	(2)	71– 77
Rodríguez-Lallena, J.A., *see* Nelsen, R.B.	(3)	263–268
Romo, J., *see* Alonso, A.M.	(1)	13– 20
Rösler, U., *see* Alsmeyer, G.	(3)	199–206
Rychlik, T., *see* Danielak, K.	(4)	303–316
Schwabe, R., *see* Graßhoff, U.	(1)	7– 12
Scotto, M.G., A note on the asymptotic distribution of the maxima in disaggregated time-series models	(2)	127–137
Shankar, A., *see* Srivastav, S.K.	(3)	187–193
Shmueli, G., *see* C. Fu, J.	(4)	457–466
Singh, H., *see* Misra, N.	(4)	279–290
Srivastav, S.K. and A. Shankar, On the E-optimality of certain class of block designs	(3)	187–193
Suen, C.-Y., Construction of mixed orthogonal arrays by juxtaposition	(3)	161–163
Tango, T., *see* Nishikawa, M.	(4)	353–361
Terán, P., A strong law of large numbers for random upper semicontinuous functions under exchangeability conditions	(3)	251–258
Thavaneswaran, A. and S. Peiris, Generalized smoothed estimating functions for nonlinear time series	(1)	51– 56
Tudor, C.A., *see* Bardina, X.	(4)	317–329
Úbeda-Flores, M., *see* Nelsen, R.B.	(3)	263–268
van der Heijden, P.G.M., *see* Zwane, E.N.	(2)	121–125
Walker, S.G., *see* Choy, S.T.B.	(3)	227–232
Yanev, G.P., *see* Mitov, K.V.	(4)	379–388
Yang, W., Some limit properties for Markov chains indexed by a homogeneous tree	(3)	241–250
Zanger, D.Z., Concentration of measure and cluster analysis	(1)	65– 70
Zhang, J., *see* Bhattacharyya, B.B.	(2)	71– 77
Zitikis, R., *see* Horváth, L.	(4)	331–342
Zwane, E.N. and P.G.M. van der Heijden, Implementing the parametric bootstrap in capture–recapture models with continuous covariates	(2)	121–125